
Series AS 632 DN50-90




mounting surface \bigcirc 1 \bigcirc surface quality \bigcirc flatness tolerance \bigcirc 0.2

Dimensions:

connection size	2"	2 ½"	3"	3 ½"
dimension A	77,8	89	106,4	120,7
dimension B	42,9	50,8	62	70
thread C	M12x18 deep	M12x18 deep	M16x22 deep	M16x22 deep

Weight approx.: 12 kg

Dimensions: mm





Suction Filter Series AS 632 DN50-90

Description:

The AS filters can be installed horizontally or vertically in the tank and connected to the suction line. They are easy to maintain. The filter housing is made of high quality aluminum material.

The filter element consists of a star-shaped pleated filter material which is supported on the inside by a perforated core tube and is bonded to the end caps.

Eaton filter elements are known as stable elements which have excellent filtration capabilities and a high dirt retaining capacity, therefore having a long service life.

To change the filter element, the filter cover is unscrewed. When the filter cover is loosened, a plate valve closes the suction side of the filter and prevents dirty oil from flowing back into the tank or, if the filter is installed horizontally, the fluid from escaping from the tank. After the servicing respectively after changing the element the filter is again ready for operation.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

Type index:

Complete filter: (ordering example)

AS. 632. 40G. -. B. P. -. FS. 11. -. O11
2
3
4
5
6
7
8
9
10
11

1 series:

AS = Suction filter
2 | nominal size: 632

3 filter-material:

40G stainless steel wire mesh

4 | filter element collapse rating:

= not specified

5 | filter element design:

B = both sides open

6 sealing material:

P = Nitrile (NBR) V = Viton (FPM)

7 | filter element specification:

- = standardVA = stainless steel

8 process connection:

FS = SAE-flange connection 3000 PSI

9 no. of version:

•								
version	1	5	6	10	11	12	14	21
connection A typ	e XY	XY	XY	FS	FS	FS	-	FS
siz	е			A1	A1	A1		Α
connection B typ	e Y	М	М	FS	FS	-	FS	Υ
siz	е			8	9		8	
connection C typ	e FS	FS	FS	Υ	Υ	Υ	FS	Υ
siz	e 8	9	9				8	
connection D typ	e FS	FS	-	Υ	М	М	FS	FS
siz	e 8	9				ĺ	8	8

type: FS = SAE-flange 3000 PSI

M = adapter M18x1,5-R1/8

Y = drain M18x1,5 X = adapter SAE 3" - M18x1,5

= no connection

size:

8 = 2" 9 = 2½" A = 3"

A1 = $3\frac{1}{2}$

10 | filter housing specification:

- = standard

11 clogging indicator

= without

21 = visual, see sheet-no. 1616

E4.-0,25 = pressure switch, see sheet-no. 1616

To add an indicator to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

Filter element: (ordering example)

Accessories:

- SAE-counter flanges, see sheet-no. 1652

= without

Technical data:

operating temperature: -10°C to +100°C

operating medium mineral oil, other media on request

process connection: SAE-flange 3000 PSI

housing material standard: G-AlSi10Mgwa DIN 1725 (3.2381.61)

sealing material: Nitrile (NBR) or Viton (FPM), other materials on request

installation position: optional volume tank: optional

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see Δp = f (Q) - characteristics)

$$\Delta p_{\text{ element (mbar)}} = Q \left(\frac{l}{min} \right) \chi \frac{MSK}{10} \left(\frac{mbar}{l/min} \right) \chi V \left(\frac{mm^2}{s} \right) \chi \frac{p}{0,876} \left(\frac{kg}{dm^3} \right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in mbar/(l/min) apply to mineral oil (HLP) with a density of 0,876 kg/dm³ and a kinematic viscosity of 30 mm²/s (139 SUS). The pressure drop changes proportionally to the change in kinematic viscosity and density.

AS 632	40G	
	0,0158	


$\Delta p = f(Q)$ – characteristics according to ISO 3968


The pressure drop characteristics apply to mineral oil (HLP) with a density of 0,876 kg/dm³. The pressure drop changes proportionally to the density.




Symbols:









Spare parts:

item	qty.	designation	dimensions	article-no.	
1	1	filter element	01AS.631		
2	1	O-ring	115 x 3	303963 (NBR)	307762 (FPM)
3	1	O-ring	125 x 3	306025 (NBR)	307358 (FPM)
4	1	O-ring	115 x 5	306640 (NBR)	310287 (FPM)
5	1	O-ring	104,37 x 3,53	304339 (NBR)	304390 (FPM)
6	1	gasket	2 thick	305160	
7	1	adapter M18x1,5 - R1/8"	30505-4	317114	
8	2	gasket	A18x24x1,5	305136	
9	1	clogging indicator, visual	O1	301722	
10	1	pressure switch, electric	E40,25	301725	
11	1	O-ring	85,32 x 3,53	305590 (NBR)	306308 (FPM)
12	1	adapter SAE 3" - M18 x 1,5	30294-3	317048	
13	1	screw plug	M18x1,5	305193	

Test methods: Filter elements are tested according to the following ISO standards:

ISO 2941 Verification of collapse/burst resistance ISO 2942 Verification of fabrication integrity

ISO 2943 Verification of material compatibility with fluids

ISO 3723 Method for end load test

ISO 3724 Verification of flow fatigue characteristics

ISO 3968 Evaluation of pressure drop versus flow characteristics ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East Auf der Heide 2

53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0 Greater China No. 7, Lane 280,

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

ASIA-PACINIC 100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668 For more information, please email us at *filtration* @eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, on guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

