Series TS 210-310

Dimension			
type connection	TS 210 -20 SAE	TS 310 -20 SAE	
A B	12.09 8.62	15.47 12.00	
C D	11.42 .26	14.76 .30	
weight volume tank	5.10 lbs. .30 Gal.	6.60 lbs. .40 Gal.	2.126
			A C C C C C C C C C C C C C C C C C C C
	<u>ш</u>		



Dimensions: inches

-10

Designs and performance values are subject to change!

Suction Filter Series TS 210-310

Description:

The TS-filters are directly mounted to the reservoir and connected to the suction-line. The suction-area "IN" must be below the oil level.

The filter element consists of a star-shaped, pleated filter material which is supported on the inside by a perforated core tube and is bonded to the end caps with a high-quality adhesive. The flow is from outside to inside.

For cleaning the mesh element or changing the microglass element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning

Filters finer than 40 µm use the disposable elements made of paper or microglass. Filter elements as fine as 5 µm(c) are available; finer filter elements on request.

Eaton filter elements are known as stable elements which have excellent filtration capabilities and a high dirt retaining capacity, therefore having a long service life. Due to its practical design, the return-line filter is easy to service.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

Due to its practical design, the return-line filter is easy to service. When releasing the filter cover a plateshaped valve closes the suction-inlet of the filter bowl and prevents the return flow of dirt oil into the reservoir. For cleaning, the filter bowl together with the filter element can be taken out of the filter head.

Type index:

	2 3 4 5 6 7 8 9 10 11 12 13
1	Series: TS = suction filter for vertical tank-mounting
2	nominal size: 210, 310
3	filter material: 80G, 40G, 25G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG microglass 10P paper
4	<pre>filter element collapse rating: - = not specified</pre>
5	filter element design:B= both sides open
6	sealing material:P= Nitrile (NBR)V= Viton (FPM)
7	filter element specification:-= standardVA= stainless steel
8	process connection:UG= thread connection
9	process connection size: 6 = -20 SAE
10	filter housing specification: - = standard
11	l internal valve: - = without S = with by-pass valve ∆p 4.1 PSI
12	clogging indicator at M1:-= withoutO1= visual, see sheet-no. 1616E40,25= pressure switch, see sheet-no. 1616
13	clogging indicator at M2: possible indicators see position 12 of the type index
	d an indicator to your filter, use the corresponding indicator data shee d the indicator details and add them to the filter assembly model code.

1 2 3 4 5 6 7

3 - 5 , 7 see type index-complete filter

01TS. = suction filter element according to company standard

1 series:

2 nominal size: 210, 310

= without

6 sealing material:

Technical data:

operating temperature: operating medium process connection: housing material standard: sealing material: installation position: +14°F to +212°F mineral oil, other media on request thread connection AL-casting, filter cover / filter bowl glass fiber reinforced polyamide Nitrile (NBR) or Viton (FPM), other materials on request vertical

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see $\Delta p = f(Q)$ - characteristics)

$$\Delta p \text{ element (PSI)} = Q (GPM) x \frac{MSK}{1000} \left(\frac{PSI}{GPM}\right) x v(SUS) x \frac{\rho}{0.876} \left(\frac{kg}{dm^3}\right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in psi/gpm apply to mineral oil (HLP) with a density of 0.876 kg/dm³ and a kinematic viscosity of 139 SUS (30 mm²/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.


TS	VG					G			Р
	3VG	6VG	10VG	16VG	25VG	25G	40G	80G	10P
210	2.250	1.562	1.000	0.871	0.595	0.0826	0.0612	0.0571	0.443
310	1.628	1.130	0.724	0.630	0.430	0.0598	0.0443	0.0413	0.321

<u>∆p = f(Q) – characteristics according to ISO 3968</u>

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm³. The pressure drop changes proportionally to the density.



Symbols:



Spare parts:

item	qty.	qty. designation dimensions		sions	Article-no.		
		0	TS 210	TS 310			
1	1	filter element	01TS. 210	01TS. 310			
2	1	filter head			304423		
3	1	filter bowl				304518.1	
4	1	filter cover	M 90	M 90 x 2			
5	1	O-ring	53 :	53 x 4		332434 (FPM)	
6	1	O-ring	62	62 x 4		311472 (FPM)	
7	1	O-ring	75	75 x 3		304729 (FPM)	
8	1	O-ring	82	82 x 3		305298 (FPM)	
9	1	O-ring	88	88 x 3		310266 (FPM)	
10	1	sheet metal screw	B 6,3	B 6,3 x 13		316641	
11	1	clogging indicator, visual	0	01		301722	
12	1	pressure switch, electric	E4(E40,25		301725	

Test methods:

Filter elements are tested according to the following ISO standards:

ISO 2941	Verification of	collapse/burst	resistance

- ISO 2942 Verification of fabrication integrity
- ISO 2943 Verification of material compatibility with fluids
- ISO 3723 Method for end load test
- ISO 3724 Verification of flow fatigue characteristics
- ISO 3968 Evaluation of pressure drop versus flow characteristics
- ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East Auf der Heide 2

53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

Greater China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

