



Sheet No. 1911 F

Series TSW 625










2) Connection for the potential equalization, only for application in the explosive area.



Weight approx.: 12 lbs.

Dimensions: inches

Designs and performance values are subject to change!



Suction Filter Series TSW 625

Description:

The TSW-filters are directly mounted to the reservoir and connected to the suction-line.

The filter element consists of a star-shaped folded bellows, which is flowed through from the inside to the outside.

For cleaning the mesh element or changing the microglass element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning

Filters finer than 40 μ m use the disposable elements made of paper or microglass. Filter elements as fine as 5 μ m(c) are available; finer filter elements on request.

Eaton filter elements are known as stable elements which have excellent filtration capabilities and a high dirt retaining capacity, therefore having a long service life. Due to its practical design, the return-line filter is easy to service.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

Due to its practical design, the return-line filter is easy to service. When releasing the filter cover a plate-shaped valve closes the suction-inlet of the filter bowl and prevents the return flow of dirt oil into the reservoir. For cleaning, the filter bowl together with the filter element can be taken out of the filter head.

Type index:

Complete filter: (ordering example)

| TS | W. (| 625. | 10VG. | | | | | | 8. | | | 01. | E4. | | |
|-----|-----------|---------|------------------------------|----------|-------|------------|------|--------|-------|-------|-----|-----|-----|----|---|
| 1 | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | 13 | 1 |
| 1 | seri | es: | | | | | | | | | | | | | |
| | TSW | / = s | suction filt | er foi | r ho | rizor | ntal | tank-r | nour | nting | | | | | |
| ~ | | | | | | | | | | | | | | | |
| 2 | поп | iinai s | si ze: 625 | | | | | | | | | | | | |
| 3 | filte | r mate | erial: | | | | | | | | | | | | |
| | | | , 25G stai | | | | | | | | | | | | |
| | | | /G, 10VG | , 6V0 | G, 3 | VG | micı | roglas | s | | | | | | |
| | 10P | paper | | | | | | | | | | | | | |
| 4 | filte | r elem | nent colla | pse | rati | ng: | | | | | | | | | |
| | - | = r | not specifie | ed | | | | | | | | | | | |
| 5 | filto | r olom | ent desig | an. | | | | | | | | | | | |
| 5 | B | | oth sides | - | n | | | | | | | | | | |
| | | | | opo | •• | | | | | | | | | | |
| 6 | | • | aterial: | | | | | | | | | | | | |
| | P V | = N | Nitrile (NB /iton (FPN | R) | | | | | | | | | | | |
| | v | = \ | | VI) | | | | | | | | | | | |
| 7 | filte | r elem | nent spec | ifica | tior | 1: | | | | | | | | | |
| | - | - | standard | | | | | | | | | | | | |
| | VA | = 8 | stainless s | steel | | | | | | | | | | | |
| 8 | proc | cess c | onnectio | n: | | | | | | | | | | | |
| | FS | = 5 | SAE-flang | e cor | nne | ctior | n 30 | 00 PS | I | | | | | | |
| 9 | prod | cess o | onnectio | on siz | ze: | | | | | | | | | | |
| - | 8 | = 2 | | | | | | | | | | | | | |
| 4.0 | | | | | | | | | | | | | | | |
| 10 | Tilte | | sing spec standard | inca | tior | 1: | | | | | | | | | |
| | - IS11 | | or mining | appl | icati | ions | . se | e shee | et-no | o. 40 | 530 | | | | |
| | _ | | 0 | ••• | | | | | | | | | | | |
| 11 | inter | nal va | | | | | | | | | | | | | |
| | - S | | vithout vith by-pa | se va | مرراد | ۸n | 4 1 | PSI | | | | | | | |
| | C | - v | na by pa | 00 10 | | <u>.</u> μ | 7.1 | . 01 | | | | | | | |
| 12 | clog | ging | indicator | | 11: | | | | | | | | | | |
| | - | | = withou = visual | | oha | | | 616 | | | | | | | |
| | 01 | 0,25 | = visual = pressi | , | | | | | no 1 | 616 | | | | | |

- E4.-0,25 = pressure switch, see sheet-no. 1616
- PA = potential equalization


13 clogging indicator at M2:

possible indicators see position 12 of the type index

14 clogging indicator at M3: possible indicators see position 12 of the type index

To add an indicator to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

Filter element: (ordering example)



Technical data:

operating temperature: operating medium process connection: housing material standard: housing material IS11/category M2: sealing material: installation position: volume tank: +14°F to +212°F mineral oil, other media on request SAE-flange connection 3000 PSI filter head / filter cover AL / filter bowl glass fiber reinforced polyamide filter head / filter cover GG / filter bowl carbon fiber reinforced polyamide Nitrile (NBR) or Viton (FPM), other materials on request horizontal 1.1 Gal.

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see $\Delta p = f(Q)$ - characteristics)

$$\Delta p \text{ element (PSI)} = Q (GPM) x \frac{MSK}{1000} \left(\frac{PSI}{GPM}\right) x v(SUS) x \frac{\rho}{0.876} \left(\frac{kg}{dm^3}\right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in psi/gpm apply to mineral oil (HLP) with a density of 0.876 kg/dm³ and a kinematic viscosity of 139 SUS (30 mm²/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.


| TSW | | | VG | | | Р | | | |
|-----|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| | 3VG | 6VG | 10VG | 16VG | 25VG | 25G | 40G | 80G | 10P |
| 625 | 0.733 | 0.509 | 0.326 | 0.284 | 0.194 | 0.0170 | 0.0159 | 0.0109 | 0.160 |

∆p = f(Q) – characteristics according to ISO 3968

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm³. The pressure drop changes proportionally to the density.



Symbols:



Spare parts:

| item | qty. | designation | dimensions | Artic | Article-no. | | |
|------|------|--|----------------------|--------------|--------------|--|--|
| 1 | 1 | filter element | 01TS.625 | | | | |
| 2 | 1 | filter head | NG 625 | | | | |
| 3 | 1 | filter bowl | NG 625 | | | | |
| 4 | 1 | filter cover without/with bypass valve | M 140 x 3 | | | | |
| 5 | 1 | valve disc | | 318 | 3740 | | |
| 6 | 1 | valve bushing | | 318 | 3739 | | |
| 7 | 1 | O-ring | 135 x 3,5 | 318386 (NBR) | 318387 (FPM) | | |
| 8 | 1 | O-ring | 140 x 3 | 304604 (NBR) | 307514 (FPM) | | |
| 9 | 1 | O-ring | 120 x 4 | 305300 (NBR) | 307991 (FPM) | | |
| 10 | 1 | O-ring | 76 x 4 | 305599 (NBR) | 310291 (FPM) | | |
| 11 | 1 | O-ring | 104,37 x 3,53 | 304339 (NBR) | 304390 (FPM) | | |
| 12 | 1 | O-ring | 70 x 4 | 306253 (NBR) | 310280 (FPM) | | |
| 13 | 1 | sliding ring | B55 | 311 | 976 | | |
| 14 | 1 | pressure spring | 5,0 x 70 x 117 x 3,5 | 318 | 3742 | | |
| 15 | 1 | disc | | 318 | 3741 | | |
| 16 | 1 | O-ring | 50 x 3 | 307398 (NBR) | 314682 (FPM) | | |
| 17 | 1 | clogging indicator, visual | O1 | 301 | 722 | | |
| 18 | 1 | pressure switch, electric | E40,25 | 301 | 301725 | | |

Test methods:

Filter elements are tested according to the following ISO standards:

- ISO 2941 Verification of collapse/burst resistance
- ISO 2942 Verification of fabrication integrity
- ISO 2943 Verification of material compatibility with fluids
- ISO 3723 Method for end load test
- ISO 3724 Verification of flow fatigue characteristics
- ISO 3968 Evaluation of pressure drop versus flow characteristics
- ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

Greater China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre Singapore 118523 Tel: +65 6825-1668

For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

